

# ILD Analysis

## CALICE CIEMAT meeting

Camilo

**Ciemat**  
Centro de Investigaciones  
Energéticas, Medioambientales  
y Tecnológicas



29/11/19

# First working meeting of the year

## 5 meetings this week:

- **ILD meeting**

<https://agenda.linuxcollider.org/event/8385/>

- **Group already working in  $H \rightarrow c\bar{c}$ . This week update about the analysis (should we jump in?)**

- **SDHCAL meeting <https://indico.cern.ch/e/879268>**

- **check Antoine's slides about database with all testbeams data.**
- **Hector granted access to write in eos space**

- **SiWECAL meeting**

- **Are we participating in the test beam? (question from Gerald)**

- **FCC workshop <https://indico.cern.ch/event/838435>**

- **Two presentations: one about SiW(Pb)ECAL another one by Frank Simon about CALICE in general (some overlap)**

- **Today's meeting (this slides)**


# Backup




# Learning iLCSOft


In order to build up the validation tool and extend the timing studies. We need to add the SimHit and Digi information to the LCTuple:



- The steering xml file for the LCTuples already contain the option:



Branch: master | [LCTuple / example / lctuple.xml](#) Find file Copy path

 gaede - added support for TrackerHits 308ef53 on May 15, 2013

2 contributors 

152 lines (127 sloc) | 7.28 KB Raw Blame History  

```
<?xml version="1.0" encoding="us-ascii"?>
<!-- ?xml-stylesheet type="text/xsl" href="http://ilcsoft.desy.de/marlin/marlin.xsl"? -->
<!-- ?xml-stylesheet type="text/xsl" href="marlin.xsl"? -->

<!-- Loading shared library : /Users/fgaede/marlin/mymarlin/Lib/libmymarlin.0.1.0.dylib (Libmymarlin.dylib)-->

<!--#####
#
#   Example steering file for marlin   #
#
#   #####-->

<marlin xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xsi:noNamespaceSchemaLocation="http://ilcsoft.desy.de/marlin/marlin.xsd
```

- and also our steering file (the one used for the uds sample):

```
<processor name="MergeSimCaloHits" type="MergeCollections">
  <!--MergeCollections creates a transient subset collection that merges all input collections -->
  <!--Names of all input collections-->
  <parameter name="InputCollections" type="StringVec">
    BeamCalCollection
    EcalBarrelCollection
    EcalEndcapRingCollection
    EcalEndcapsCollection
    HcalBarrelRegCollection
    HcalEndcapRingCollection
    HcalEndcapsCollection
    LumiCalCollection
    YokeBarrelCollection
    YokeEndcapsCollection
    LHCalCollection
  </parameter>
  <!--Optional IDs for input collections - if given id will be added to all objects in merged collections as ext<CollID>!-->
  <parameter name="InputCollectionIDs" type="IntVec">
    25 20 21 29 22 23 30 24 27 31
  </parameter>
  <parameter name="OutputCollection" type="string">SimCalorimeterHits </parameter>
  <!--verbosity level of this processor ("DEBUG"-4,MESSAGE0-4,WARNING0-4,ERROR0-4,SILENT)-->
  <parameter name="Verbosity" type="string">DEBUG </parameter>
</processor>
```

- It seems there is a merged collection of all our SimCaloHits. Including the Ecal.

- However I can not find the branches/leaves in the obtained TTree.

```
carrillo@jaeuicalil:~/ilcsoft/ntuplizer/mc-higgs-channel/Analysis> $root -b uds_LCTuple.root
root [0]
Attaching file uds_LCTuple.root as _file0...
(TFile *) 0x30f5290
root [1] MyLCTuple->Show()
=====> EVENT:-1
evevt          = 0
evrun          = 0
evwgt         = 0
evtim         = 0
evsig         = 0
eveve         = 0
evpoe         = 0
evpop         = 0
evnch         = 0
nmcp          = 0
nrec          = 0
npid          = 0
ntrk          = 0
ntrst         = 0
nsth          = 0
nsch          = 0
r2mrel        = 0
root [2] █
```

- Is a recompilation needed?, how?
- Reco Hits are not even listed in the steering file. Would need to dig deeper.
- lets say work in progress...


# Analyzing the uds sample

The slcio file obtained from Dirac by Hector was ntuplized with the following command:

```
Marlin MarlinStdRecoLCTuple.xml
--global.GearXMLFile=gear_ILD_l5_o2_v02.xml
--global.LCIOInputFiles=/pool/calice/hectorgc/MC_samples/DIRAC/rec/1-calib/uds/ILD_l5_o2_v02_nobg/v02-00-01/rv0\
2-00-01.sv02-00-01.mILD_l5_o2_v02_nobg.E1-calib.I110069.Puds30.e0.p0.n001_001.d_rec_00010760_452.slcio
[]-MyAIDAProcessor.FileName=uds_LCTuple
```





Providing the right xml files, and correct ilcSoft enviroment.  
For the branches list: check branches.txt attached.

# Original Hector Script for $\Delta R$ matching, all particles






# Energy Distributions, all particles




$\min\Delta R < 0.01$ , all particles included.

# $\Delta E/E$ , all particles (new)

reso\_hist




# $\Delta R$ matching, $\pi^\pm$




# Energy Distributions, $\pi^\pm$


MC truth energy




ILCSoft default reco energy



linear\_hist




ratio\_hist



$\min\Delta R < 0.01$ , only  $\pi^\pm$

$\Delta E/E, \pi^\pm$  (new)

reso\_hist



# All distributions, all particles

Including the new resolution plots:

<http://wwae.ciemat.es/~carrillo/calice/>

## Short term plans

Validation of the reconstruction chain, from simulated hits to PF algo for SDHCAL defined in ILDConfig.

- **Produce the linearity plots** and the other plots that Guillaume did in his thesis.
- Establish a validation procedure for the SDHCAL in ILD/ILCSoft.
- Run the validation on the diquark data set and perform the same studies as done by Guillaume.
- Present the results in the SDHCAL collaboration meeting.
- Present the results in the ild-software-conveners and ild-physics-conveners.
- Study The next large-scale simulation of samples at 250 GeV (which should start production now).


By this point we should be ready to start a physics analysis. All software and information will be stored in the gitlab repository that Hector has created.

## Long term plans

- Identify an analysis that we would like to pursue. My suggestion was  $H \rightarrow cc$ .
- Learn about  $H \rightarrow bb$ . This is a necessary step for  $H \rightarrow cc$ .
- Signal samples are around.
- Identify background samples.
- Involve Juan and Maria.
- Does machine learning make sense here? (My guess yes).
- Run a standard analysis.




# Plots to reproduce with the 250 GeV simulation



The linearity of the reconstructed energy w.r.t MC truth, would also check if the simulation and reconstruction goes fine.

# Plots to reproduce with the 250 GeV simulation



**FIGURE 7.3** – Comparaison du nombre de hits moyen (à gauche), de la valeur moyenne du profil longitudinal (au centre) et de la valeur moyenne du profil transverse (à droite) entre la configuration normale du SDHCAL (en bleu) et la configuration hybride (en rouge).

As advice by Bo during Thursday meeting.